



ITEM CODE	M coarse	P	d	L1	Dh6	L	F
DM1*0.25*D4	M1*0.25	0.25	0.73	2.3	Φ4	50	3
DM1.2*0.25*D4	M1.2*0.25	0.25	0.92	2.8	Φ4	50	3
DM1.4*0.3*D4	M1.4*0.3	0.3	1.05	3.2	Φ4	50	3
DM1.6*0.35*D4	M1.6*0.35	0.35	1.2	3.3	Φ4	50	3
DM1.8*0.35*D4	M1.8*0.35	0.35	1.41	4.1	Φ4	50	3
DM2*0.4*D4	M2*0.4	0.4	1.54	4.4	Φ4	50	3
DM2.2*0.45*D4	M2.2*0.45	0.45	1.63	4.8	Φ4	50	3
DM2.5*0.45*D4	M2.5*0.45	0.45	1.96	5.3	Φ4	50	3
DM3*0.5*D4	M3*0.5	0.5	2.4	6.4	Φ4	50	3
DM3.5*0.6*D4	M3.5*0.6	0.6	2.75	7.4	Φ4	50	3
DM4*0.7*D4	M4*0.7	0.7	3.15	8.6	Φ4	50	3
DM4*0.7*D6	M4*0.7	0.7	3.15	8.6	Φ6	50	3
DM5*0.8*D4	M5*0.8	0.8	4	12	Φ4	50	3
DM5*0.8*D6	M5*0.8	0.8	4.05	12	Φ6	50	3
DM6*1*D6	M6*1	1	4.8	13	Φ6	50	3
DM8*1.25*D6	M8*1.25	1.25	6	20	Φ6	60	3
DM8*1.25*D8	M8*1.25	1.25	6.5	17	Φ8	63	3
DM10*1.5*D8	M10*1.5	1.5	8	22	Φ8	63	3
DM10*1.5*D10	M10*1.5	1.5	8.2	21	Φ10	73	3
DM12*1.5*D10	M12*1.5	1.5	10	25	Φ10	73	4
DM12*1.75*D10	M12*1.75	1.75	10	25	Φ10	73	3
DM14*2*D10	M14*2	2	10	28	Φ10	73	3
DM14*2*D12	M14*2	2	11.5	29	Φ12	75	4
DM16*1.5*D12	M16*1.5	1.5	12	32	Φ12	83	4
DM16*2*D12	M16*2	2	12	32	Φ12	83	4
DM16*2*D14	M16*2	2	13.6	32	Φ14	83	4
DM20*1.5*D16	M20*1.5	1.5	16	40	Φ16	92	4
DM20*2*D16	M20*2	2	16	40	Φ16	92	4
DM20*2.5*D16	M20*2.5	2.5	16	41	Φ16	92	4
DM20*2.5*D18	M20*2.5	2.5	17.1	41	Φ18	92	4
DM24*3*D16	M24*3	3	16	42	Φ16	92	4
DM27*3*D20	M27*3	3	20	43	Φ20	100	4