

GEEFUN®

➤DRC- 5D

DRC内冷钻头5D


DRC-Solid Carbide Drill with Internal Coolant 5D

能高效率，高精度钻削难加工材料，适用于从低速至高速的切削。

The High efficiency ,high precision drilling difficult processing materials,suitable for cutting from low speed to high speed.

DRC-5D

内冷钻头
Coolant-fed Twist Drill



ITEM CODE	d1-m7	L1	LU	Dh6	LS	L
DRC5D-003	3	28	23	Φ6	36	66
DRC5D-031	3.1	28	23	Φ6	36	66
DRC5D-0315	3.15	28	23	Φ6	36	66
DRC5D-032	3.2	28	23	Φ6	36	66
DRC5D-0325	3.25	28	23	Φ6	36	66
DRC5D-033	3.3	28	23	Φ6	36	66
DRC5D-034	3.4	28	23	Φ6	36	66
DRC5D-035	3.5	28	23	Φ6	36	66
DRC5D-036	3.6	28	23	Φ6	36	66
DRC5D-037	3.7	28	23	Φ6	36	66
DRC5D-038	3.8	36	29	Φ6	36	74
DRC5D-0385	3.85	36	29	Φ6	36	74
DRC5D-039	3.9	36	29	Φ6	36	74
DRC5D-004	4	36	29	Φ6	36	74
DRC5D-041	4.1	36	29	Φ6	36	74
DRC5D-042	4.2	36	29	Φ6	36	74
DRC5D-043	4.3	36	29	Φ6	36	74
DRC5D-0435	4.35	36	29	Φ6	36	74
DRC5D-044	4.4	36	29	Φ6	36	74
DRC5D-0445	4.45	36	29	Φ6	36	74
DRC5D-045	4.5	36	29	Φ6	36	74
DRC5D-046	4.6	36	29	Φ6	36	74
DRC5D-0465	4.65	36	29	Φ6	36	74
DRC5D-047	4.7	36	29	Φ6	36	74
DRC5D-048	4.8	44	35	Φ6	36	82
DRC5D-049	4.9	44	35	Φ6	36	82
DRC5D-005	5	44	35	Φ6	36	82
DRC5D-051	5.1	44	35	Φ6	36	82
DRC5D-052	5.2	44	35	Φ6	36	82

内冷钻头

>>DRC- 5D


DRC内冷钻头5D

DRC-Solid Carbide Drill with Internal Coolant 5D

DRC-5D

内冷钻头

Coolant-fed Twist Drill



ITEM CODE	d1-m7	L1	LU	Dh6	LS	L
DRC5D-0525	5.25	44	35	Φ6	36	82
DRC5D-053	5.3	44	35	Φ6	36	82
DRC5D-054	5.4	44	35	Φ6	36	82
DRC5D-055	5.5	44	35	Φ6	36	82
DRC5D-0555	5.55	44	35	Φ6	36	82
DRC5D-056	5.6	44	35	Φ6	36	82
DRC5D-057	5.7	44	35	Φ6	36	82
DRC5D-0575	5.75	44	35	Φ6	36	82
DRC5D-058	5.8	44	35	Φ6	36	82
DRC5D-059	5.9	44	35	Φ6	36	82
DRC5D-0595	5.95	44	35	Φ6	36	82
DRC5D-006	6	44	35	Φ6	36	82
DRC5D-061	6.1	53	43	Φ8	36	91
DRC5D-062	6.2	53	43	Φ8	36	91
DRC5D-063	6.3	53	43	Φ8	36	91
DRC5D-064	6.4	53	43	Φ8	36	91
DRC5D-065	6.5	53	43	Φ8	36	91
DRC5D-066	6.6	53	43	Φ8	36	91
DRC5D-067	6.7	53	43	Φ8	36	91
DRC5D-0675	6.75	53	43	Φ8	36	91
DRC5D-068	6.8	53	43	Φ8	36	91
DRC5D-069	6.9	53	43	Φ8	36	91
DRC5D-007	7	53	43	Φ8	36	91
DRC5D-071	7.1	53	43	Φ8	36	91
DRC5D-072	7.2	53	43	Φ8	36	91
DRC5D-073	7.3	53	43	Φ8	36	91
DRC5D-074	7.4	53	43	Φ8	36	91
DRC5D-0745	7.45	53	43	Φ8	36	91
DRC5D-075	7.5	53	43	Φ8	36	91
DRC5D-076	7.6	53	43	Φ8	36	91
DRC5D-077	7.7	53	43	Φ8	36	91
DRC5D-078	7.8	53	43	Φ8	36	91
DRC5D-079	7.9	53	43	Φ8	36	91

DRC-Solid Carbide Drill with Internal Coolant 5D

内冷钻头

GeefunTools 102

>>DRC- 5D

DRC内冷钻头5D

DRC-Solid Carbide Drill with Internal Coolant 5D


DRC-5D

内冷钻头

Coolant-fed Twist Drill

P M K N
☒ ☒ ☒ ☐

S H
☐ ☐



ITEM CODE	d1-m7	L1	LU	Dh6	LS	L
DRC5D-108	10.8	71	56	Φ12	45	118
DRC5D-109	10.9	71	56	Φ12	45	118
DRC5D-110	11	71	56	Φ12	45	118
DRC5D-111	11.1	71	56	Φ12	45	118
DRC5D-112	11.2	71	56	Φ12	45	118
DRC5D-1125	11.25	71	56	Φ12	45	118
DRC5D-113	11.3	71	56	Φ12	45	118
DRC5D-1135	11.35	71	56	Φ12	45	118
DRC5D-114	11.4	71	56	Φ12	45	118
DRC5D-1145	11.45	71	56	Φ12	45	118
DRC5D-115	11.5	71	56	Φ12	45	118
DRC5D-116	11.6	71	56	Φ12	45	118
DRC5D-117	11.7	71	56	Φ12	45	118
DRC5D-118	11.8	71	56	Φ12	45	118
DRC5D-119	11.9	71	56	Φ12	45	118
DRC5D-120	12	71	56	Φ12	45	118
DRC5D-121	12.1	77	60	Φ14	45	124
DRC5D-122	12.2	77	60	Φ14	45	124
DRC5D-1225	12.25	77	60	Φ14	45	124
DRC5D-123	12.3	77	60	Φ14	45	124
DRC5D-124	12.4	77	60	Φ14	45	124
DRC5D-125	12.5	77	60	Φ14	45	124
DRC5D-126	12.6	77	60	Φ14	45	124
DRC5D-127	12.7	77	60	Φ14	45	124
DRC5D-1275	12.75	77	60	Φ14	45	124
DRC5D-128	12.8	77	60	Φ14	45	124
DRC5D-129	12.9	77	60	Φ14	45	124
DRC5D-130	13	77	60	Φ14	45	124
DRC5D-131	13.1	77	60	Φ14	45	124
DRC5D-1335	13.35	77	60	Φ14	45	124
DRC5D-135	13.5	77	60	Φ14	45	124
DRC5D-1365	13.65	77	60	Φ14	45	124
DRC5D-138	13.8	77	60	Φ14	45	124

内冷钻头

DRC-Solid Carbide Drill with Internal Coolant 5D

内冷钻头

GeefunTools 104

DRC-Solid Carbide Drill with Internal Coolant 5D

Coolant-fed Twist Drill



APPLICABLE TABLE OF MACHINABLE MATERIALS
可切削材料适用表

CARBON STEEL 碳素钢	ALLOY STEEL 合金钢	PRE HARDENED STEEL, HARDENED STEEL 预硬钢、淬硬钢				STAINLESS STEEL 不锈钢	CAST IRON 铸铁	COPPER ALLOY 铜合金	ALUMINUM ALLOY 铝合金	GRAPHITE 石墨	TITANIUM ALLOY 钛合金	HEAT-RESISTING ALLOY 耐热合金	PLASTIC 塑料
PREHARDENED STEEL 预硬钢	CHINA TOOL STEEL 工具钢						DUCTILE IRON 球墨铸铁						
~40HRC		~45HRC	~55HRC	~60HRC	~65HRC	~35HRC	~350HB						